## CERTIFICATE OF COMPLIANCE

Certificate Number E465038

**Report Reference** E465038-20131102

Date 2021-November-18

Issued to: BARTEC F.N. S.R.L.

Via Mario Pagano 3

Trezzano S/Naviglio MI 20090 IT

This is to certify that representative samples of

CONDUIT FITTINGS FOR USE IN ZONE CLASSIFIED

HAZARDOUS LOCATIONS

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: See Addendum Page

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





## CERTIFICATE OF COMPLIANCE

Certificate Number E465038

Report Reference E465038-20131102

Date 2021-November-18

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

USL - Conduit Unions for use in Class I, Zone 1, AEx d IIC Gb;Zone 21, AEx tb IIIC Db IP66/67 Hazardous Locations.

Model B; followed by M or F; followed by M or F; followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10; followed by N, M, or M2; followed by -, X, O, or A; followed by C.

Conduit Unions for use in Class I, Zone 1, AEx d IIB Gb;Zone 21, AEx tb IIIC Db IP66/67 Hazardous Locations.

Model B; followed by M or F; followed by M or F; followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10; followed by N, M, or M2; followed by -, X, O, or A.

CNL - Fittings for use in Class I, Zone 1, Ex d IIC Gb; Class II, Groups E, F, and G Hazardous Locations.

Model B; followed by M or F; followed by M or F; followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10; followed by N, M, or M2; followed by -, X, O, or A; followed by C.

Conduit Unions for use in Class I, Zone 1, Ex d IIB Gb; Class II, Groups F and G Hazardous Locations.

Model B; followed by M or F; followed by M or F; followed by 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10; followed by N, M, or M2; followed by -, X, O, or A.

## Standards:


UL 60079-0 & CSA-C22.2 No. 60079-0:11- Explosive atmospheres – Part 0: Equipment – General requirements

UL 60079-1 - Electrical Apparatus for Explosive Gas Atmospheres – Part 1: Flameproof Enclosures "d"

UL 60079-7 & CSA C22.2 No. 60079-7:12 - Explosive Atmospheres – Part 7: Equipment protection by increased safety "e"

ANSI/ISA-60079-31-2009 - Explosive Atmospheres – Part 31: Equipment Dust Ignition Protection by Enclosure "t"

CSA-C22.2 No. 60079-1:11 - Explosive atmospheres — Part 1: Equipment protection by flameproof enclosures "d"





## CERTIFICATE OF COMPLIANCE

Certificate Number

**Report Reference** E465038-20131102

Date 2021-November-18

E465038

CSA C22.2 No. 60079-31:12 - Electrical Apparatus for Explosive Atmospheres – Part 31: Equipment Dust Ignition Protection by Enclosure "t"



Bruce Mahrenholz, Director North American Certification Program

UL LLC

