

INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification System for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Ex COMPONENT CERTIFICATE

Certificate No.: IECEx IBE 09.0016U Page 1 of 5

Certificate history:

Status:

Issue No: 6

Issue 5 (2018-12-05)

Current

Issue 4 (2014-01-16) Issue 3 (2012-06-07)

Issue 0 (2010-03-08)

Date of Issue:

2023-06-15

Issue 2 (2012-05-08)

Applicant:

BARTEC F.N. S.R.L.

Issue 1 (2011-10-17)

Ex Component:

Via M. Pagano, 3

I - 20090 Trezzano sul Naviglio (MI)

Stainless steel enclosure of type 07-56.1-.../.... and 07-55.1-.../....

This component is NOT intended to be used alone and requires additional consideration when incorporated into other equipment or systems for use in explosive atmospheres (refer to IEC 60079-0).

Type of Protection:

Increased safety "e" and dust ignition protection by enclosure "t"

Marking:

Ex eb IIC Gb Ex tb IIIC Db

Approved for issue on behalf of the IECEx Certification Body:

Dr.-Ing. Peter Cimalla

Position:

Signature:

(for printed version)

Date:

(for printed version)

Deputy Head of department Certification Body

7023-06-15

This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

IBExU Institut für Sicherheitstechnik GmbH Fuchsmühlenweg 7 09599 Freiberg Germany





Certificate No.: IECEx IBE 09.0016U Page 2 of 5

Date of issue: 2023-06-15 Issue No: 6

Manufacturer: BARTEC F.N. S.R.L.

Via M. Pagano. 3

I - 20090 Trezzano sul Naviglio (MI)

Italy

Manufacturing BARTEC F.N. S.R.L.

locations: Via M. Pagano, 3

I - 20090 Trezzano sul Naviglio (MI)

Italy

BARTEC TECHNOR ASVestre Svanholmen 24

BARTEC NEDERLAND B.V.
Boelewerf 25

Boelewerf 25 2987 VD Ridderkerk

Netherlands

Norway Netherlan

See following pages for more locations

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

SANDNES 4313

STANDARDS:

The component and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"

Edition:2

IEC 60079-7:2017 Explosive atmospheres - Part 7: Equipment protection by increased safety "e"

Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the component listed has successfully met the examination and test requirements as recorded in:

Test Reports:

DE/IBE/ExTR09.0014/01 DE/IBE/ExTR09.0014/02 DE/IBE/ExTR09.0014/04 DE/IBE/ExTR09.0014/05

Quality Assessment Reports:

DE/TUN/QAR06.0017/14 FR/INE/QAR17.0001/05 GB/ITS/QAR15.0008/04 IT/CES/QAR09.0003/15 IT/CES/QAR12.0006/09 NL/DEK/QAR11.0034/06 NL/DEK/QAR12.0059/07 NL/DEK/QAR12.0061/09 NO/NEM/QAR07.0003/13



Certificate No.: IECEx IBE 09.0016U Page 3 of 5

Date of issue: 2023-06-15 Issue No: 6

Ex Component(s) covered by this certificate is described below:

The stainless steel enclosure of type 07-56.1-..../.... and 07-55.1-..../.... serve for the installation of components. They may be provided with flanges and inspection windows.

Technical data

Sizes	Length	Width	Height
Smallest	100 mm	100 mm	60 mm
Largest	1200 mm	1200 mm	400 mm

Service $-20 \text{ °C} \le \text{Tamb} \le +100 \text{ °C} \text{ (EPDM gasket)*}$ $-40 \text{ °C} \le \text{Tamb} \le +100 \text{ °C} \text{ (silicone gasket)*}$ $-40 \text{ °C} \le \text{Tamb} \le +80 \text{ °C} \text{ (RAKU PUR gasket)}$

Degree of minimum IP64 protection (IP code) maximum IP66

SCHEDULE OF LIMITATIONS:

The service temperature range (-40 °C / - 20 °C ... +80 °C / +100 °C) depends on the used gasket . If the empty enclosures contain a plastic window, the maximum applicable service temperature is 95 °C.

Types including plastic inspection windows exceeding 20 cm² (IIC) or 100 cm² (IIB, IIA) require a warning label according to IEC 60079-0, Clause 29.13 g).

^{*} The maximum permitted service temperature is 95 °C if the enclosure contains a plastic window.



Certificate No.: IECEx IBE 09.0016U Page 4 of 5

Date of issue: 2023-06-15 Issue No: 6

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

The stainless steel enclosures type 07-56.1-.../.... and 07-55.1-.../.... are now manufactured by BARTEC F.N. Srl.

The component complies with the requirements of the current standards IEC 60079-0, Ed. 7 and IEC 60079-7, Ed. 5.1.

The minimum service temperature was changed from -55 °C to -40 °C.

A new QAR has been provided.



Page 5 of 5

Certificate No.: IECEx IBE 09.0016U

Date of issue: 2023-06-15 Issue No: 6

Additional manufacturing locations:

BARTEC Pte Ltd

63 Hillview Avenue #07-18 to #07-/23 Lam Soon Industrial Building

Singapore 669569

Singapore

BARTEC Explosion Proof Appliances (Shanghai) Co. Ltd.

New Building 7 No. 188 Xinjung Rind Rd. Caohejing Pujiang Hi-tech park Minhang District, Shanghai China **BARTEC Middle East FZE**

RA-08, HB01 Jebel Ali Free Zone PO Box No 17830 Dubai

United Arab Emirates

FENEX

Via Carducci, 16 I - 34070 Moraro (GO)

Italy

BARTEC MIDDLE EAST LLC

Building N° 3501 Hussain Bin Ali Street Qatif Industrial Area 3685 AL KHOBAR Saudi Arabia Saudi Arabia

BARTEC GmbH

Max Eyth Straße 16 97980 Bad Mergentheim

Germany