

[1] **EC – TYPE EXAMINATION CERTIFICATE**[2] Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC[3] EC-Type Examination Certificate Number: **EXA 14 ATEX 0046** Issue: **1**[4] Equipment or Protective System: **Electronic siren**  
Type: **EFST.**[5] Manufacturer: **FEAM Srl.**[6] Address: **Via M. Pagano 3, 20090 Trezzano Sul Naviglio (MI), ITALY**

[7] This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and documents therein referred to.

[8] Ex-Agencija, Notified Body number 2465 according to Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment or protective system intended for use in potentially explosive atmospheres given in Annex II of the Directive.

The examination and test results are recorded in confidential report number: **EXA 14CR040**[9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:  
**EN 60079-0:2012** **EN 60079-1:2007** **EN 60079-31:2014**

except in respect of those requirements listed at item 18 of the Schedule.

[10] If the sign 'X' is placed after the certificate number, it indicates that the equipment or protective system is subject to specific conditions for safe use specified in the schedule to this certificate.

[11] This EC-Type Examination Certificate relates only to the design, examination and test of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.


[12] The marking of the equipment or protective system shall include the following:

**II 2G Ex d IIC T6 Gb**  
**II 2D Ex tb IIIC T85 °C Db**

Date: 24.07.2014.

PB.13.TC.1098/MK

Prepared:

  
Marino Kelava, dipl.ing.el.**Ex-Agencija**  
Department of equipment certification  
Approved:  
Stipo Đerek, dipl.ing.el.

Page: 1/2

[13]

**SCHEDULE**[14] **EC - TYPE EXAMINATION CERTIFICATE No.:** EXA 14 ATEX 0046[15] **Description of Equipment or Protective System**

The electronic siren type EFST. consists of an Ex d / Ex tb enclosure with body and cover joined together with the use of three bolts made from AISI 304 or AISI 316, A2 or A4, and creating a cylindrical flameproof joint between the two parts. The cover is taper drilled to allow for the connection of the separate element holding a filter made from pressed stainless steel wire, to allow the sound distribution to the outside trumpet.

**Technical data:**

Max. Power Dissipation: 4W  
Max. Voltage: 24 Vdc/Vac  
Rated Current: 160 mA  
Ambient temperature:  $-60\text{ }^{\circ}\text{C} \leq T_a \leq 60\text{ }^{\circ}\text{C}$

[15.1] **Documentation**

Title:	Drawing No.:	Rev. level:	Date:
Technical note (8 pages)	NT 13-268	0D	2014-02-15
Schedule drawing (3 sheet)	PNC-13-268	0	2014-02-15
Instruction for use (12 pages)	IU-13-268	0D	2013-02-15

[16] **Confidential Report No.** EXA 14CR040[16.1] **Routine testing**

Routine overpressure test of 25 bar for at least 10s shall be applied.

[17] **Specific Conditions for Safe Use 'X'**

None.

[18] **Essential Health and Safety Requirements**

Covered by the standards listed at item 9.

**[1] SUPPLEMENTARY EC – TYPE EXAMINATION CERTIFICATE**

[2] Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC

[3] Supplementary EC-Type Examination Certificate Number: **EXA 14 ATEX 0046/1**

[4] Equipment or Protective System: **Electronic siren**  
Type: **EFST..**

[5] Manufacturer: **FEAM Srl.**

[6] Address: **Via M. Pagano 3, I - 20090 Trezzano sul Naviglio (MI), ITALY**

[7] This supplementary certificate extends the certificate to apply to equipment or protective system designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule to this certificate and the documents therein referred to.

[8] The examination and test results are recorded in confidential report number: **EXA 15CR046**

[9] The marking of the equipment or protective system shall include the following:



**II 2G Ex d IIC T6 Gb**  
**II 2D Ex tb IIIC T85 °C Db**

[10] Description of the supplement

This supplement covers the extension of applicability of EFST. type electronic siren when used with certified 'Ex d' enclosure with internal volume of up to 1,5 dm<sup>3</sup> and with internal components providing maximum power dissipation of 10W, max. voltage 230 Vac/dc and rated current 710 mA (marked as EFST7.).

Furthermore, previous marking EFST. has been changed to EFST.. (see type designation coding below).

Type designation code:

EFST

		„3“ for 0,88 dm <sup>3</sup> or „7“ for 1,5 dm <sup>3</sup> certified enclosure
		Sound template (not relevant for the Ex protection)



## [10.1] Documentation

Title:	Drawing No.:	Rev. level:	Date:
Technical note (7 pages)	NT 13-268	1	2015-02-15
Instruction for use (11 pages)	IU-13-268	1	2014-02-15
Schedule drawing (1 sheet)	PNC-13-268 FG 2/5	1	2015-02-15
Schedule drawing (1 sheet)	PNC-13-268 FG 3/5	1	2015-02-15
Schedule drawing (1 sheet)	PNC-13-268 FG 4/5	0	2015-02-15
Schedule drawing (1 sheet)	PNC-13-268 FG 5/5	0	2014-02-15


## [11] Specific Conditions for Safe Use 'X' (in addition to original certificate)

None.

Date: 02.07.2015.

PB.15.TC.247/MK

Prepared:

  
Marino Kelava, dipl.ing.el.**Ex-Agencija**  
Department of equipment certification  
Approved:  
Stipo Đerek, dipl.ing.el.

**[1] SUPPLEMENTARY EU – TYPE EXAMINATION CERTIFICATE**

[2] Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres  
Directive 2014/34/EU.

[3] Supplementary EU-Type Examination Certificate Number: **EXA 14 ATEX 0046/2**

[4] Product: **Electronic siren**

Type: **EFST..**

[5] Manufacturer: **FEAM Srl.**

[6] Address: **Via M. Pagano 3, I - 20090 Trezzano sul Naviglio (MI), ITALY**

[7] This supplementary certificate extends EC – Type Examination Certificate to apply to product designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule to this certificate and the documents therein referred to.

[8] Ex-Agencija, Notified Body number 2465 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II of the Directive.

In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016.

[9] The examination and test results are recorded in confidential Report No.: **EXA 17CR068**

[10] The marking of the product shall include the following:



**II 2G Ex db IIC T6 Gb**  
**II 2D Ex tb IIIC T85 °C Db**

Date: 19.07.2017.



PB.17.TC.626/IST

**Ex-Agencija**  
Department of equipment certification  
Approved by:

Damir Korunić, dipl.ing.el.

**[11] SCHEDULE****[12] SUPPLEMENTARY EU - TYPE EXAMINATION CERTIFICATE No.:****EXA 14 ATEX 0046/2****[13] Description of the variation to the Product**

This supplement covers the extension of IP protection for water ingress (IPx6) and assessment according to standard IEC 60079-1:2014, Ed7. Water ingress protection was tested without prior testing of thermal endurance to heat and cold.

**[14] Confidential Report No. EXA 17CR 068****[14.1] Routine testing**

No additional to those listed previously.

**[15] Specific Conditions of Use**

None

**[16] Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

**[17] Drawings and Documents**

Title:	Drawing No.:	Rev. level:	Date:
Technical note (10 pages)	NT-13-268	2	2017-06-23
Instruction for use (12 pages)	IU-13-268	2	2017-06-23
Schedule drawing (1 sheet)	PNC-13-268-Fg.01		2014-02-15
Schedule drawing (1 sheet)	PNC-13-268-Fg.02	2	2017-06-23
Schedule drawing (1 sheet)	PNC-13-268-Fg.03	2	2017-06-23
Schedule drawing (1 sheet)	PNC-13-268-Fg.04		2015-02-15
Schedule drawing (1 sheet)	PNC-13-268-Fg.05	1	2017-06-23



Trezzano sul Naviglio (MI), 01 Maggio 2021

A tutte gli Istituti di Credito, i Clienti, i Fornitori, i Professionisti  
LORO SEDI

## OGGETTO: FUSIONE PER INCORPORAZIONE di Nuova ASP S.r.l. in FEAM S.r.l.

Egregi Signori,

la presente per comunicare che, con Atto di Fusione redatto a cura del Notaio Giuseppe Calafiori di Milano, in data 15.04.2021, Repertorio N. 86463 Raccolta N. 27172 iscritto al Registro delle Imprese in data 16/04/2021, si è perfezionata la fusione per incorporazione di Nuova ASP S.r.l. in F.E.A.M. S.r.l. **con data di efficacia dal 01.05.2021**

Contestualmente, la incorporante F.E.A.M. S.r.l. ha altresì assunto la nuova denominazione sociale: **BARTEC F.N. S.R.L.**

Per effetto di tale atto di fusione, **a decorrere dal 01.05.2021**, la scrivente **BARTEC F.N. S.R.L.** subentra in tutti i rapporti giuridici e in tutti diritti attivi e passivi, senza soluzione di continuità, nonché in tutto il patrimonio attivo e passivo, azioni, diritti, licenze, autorizzazioni, certificazioni di Nuova ASP S.r.l..

Vi invitiamo pertanto a voler prendere nota che dalla predetta data del 1° maggio 2021 tutta la documentazione riferita a Nuova ASP S.r.l. dovrà essere indirizzata ed intestata alla società derivante dalla fusione:

### BARTEC F.N S.R.L.

Capitale Sociale € 80.000 i.v.

Con sede legale in Trezzano sul Naviglio (Mi), Via Mario Pagano, 3

Codice Fiscale e Partita Iva 04095610962 - R.E.A. di Milano 1724940

In conseguenza di tale incorporazione ed ai sensi del vigente codice della Privacy (Decreto Legislativo n. 196/2003 e Regolamento europeo 679/2016), BARTEC F.N. S.R.L., subentra inoltre nella titolarità dei dati personali già oggetto di trattamento da parte della società incorporata, restando comunque invariate finalità e modalità del trattamento ai sensi delle informative già comunicate.

Si ricorda, infine, che, in conseguenza della intervenuta fusione, le fatture ed ogni altro documento di qualsiasi natura riportante data di rilascio/emissione successiva al 1° maggio 2021 dovranno essere intestati a **BARTEC F.N. S.R.L.**

BARTEC F.N. S.r.l.  
L'Amministratore Delegato  
Dr. Enrico Abbo

  
-----  
**BARTEC F.N. Srl**

Trezzano sul Naviglio (MI), 01 May 2021

To all Credit Institutes, all Customers, all Suppliers, and all Professionals  
THEIR HEADQUARTERS

**SUBJECT: MERGER BY INCORPORATION of Nuova ASP S.r.l. in FEAM S.r.l.**

Dear Sirs,

you are hereby notified that by the merger deed prepared by the Notary Giuseppe Calafiori of Milan on 15.04.2021, Register No. 86463 Volume no. 27172 entered in the Business Registry on 16/04/2021 the merger by incorporation of Nuova ASP S.r.l. in F.E.A.M. S.r.l. has been completed. S.r.l. **Date on which the merger shall come into effect: 01.05.2021**

Simultaneously, the acquiring F.E.A.M. S.r.l. has also changed its company name: **BARTEC F.N. S.R.L.**

Due to this merger, **as of 01.05.2021**, the author company **BARTEC F.N. S.R.L.** shall take over all contractual relationships, implied and explicit legal relations, without interruption, as well as all liabilities and assets, shares, rights, licenses, authorisations and certifications of Nuova ASP S.r.l..

Therefore we invite you to take note that as of the aforementioned date, 1st May 2021, all documentation referring to Nuova ASP S.r.l. must be addressed and made out to the company:

**BARTEC F.N S.R.L.**

Share capital €80,000.00 fully paid up

with registered office in Trezzano sul Naviglio (Mi), Via Mario Pagano, 3

Tax Code and VAT No. 04095610962

Economic and Administrative Index - R.E.A. No. Milan 1724940

As a consequence of this incorporation and pursuant to the privacy Code in force (Italian Legislative Decree no. 196/2003 and European Regulation 679/2016), BARTEC F.N. S.R.L., takes on the role of data controller of personal data processed by the company being acquired, while the purposes and methods of processing remain unchanged, pursuant to previously disclosed information statements.

Lastly, you are hereby reminded that as a consequence of the merger, invoices and all other documents of any nature bearing an issue date/ issued after 1st May 2021 must be made out to **BARTEC F.N. S.R.L.**

BARTEC F.N. S.r.l.  
Managing Director  
Dr. Enrico Abbo

  
**BARTEC F.N. Srl**