

MC 92NOex-IS Accessories

Datasheet



Accessories for use in hazardous areas

Accessories are approved for:

- ATEX: Zone 1 (PTB 13 ATEX 2019 X)
- IECEx: Zone 1 (IECEx PTB13.0043X)
- UL: Class I, II, III Div. 1 (UL E226123)



Battery		
Description	 certified in combination with 	th MC 92N0 ^{ex} -IS
	 can be changed in the pote area 	ntially explosive
	May only be charged outside h	nazardous areas!
Order no.	Lithium-ion battery 7.2 V/2800 mAh (20.16 Wh) approved for: ATEX/IECEx - Zone 1 Type 17-A1A3-***/******	17-A1Z0-0001
	Lithium-ion battery 7.4 V/2600 mAh (19.24 Wh) approved for: UL Class I, II, III Div. 1 Type 17-A1A2-***/******	17-A1Z0-0023




Spare keypad		
Description	- certified in combination with	th MC 92N0ex-IS
	 with blue overlay 	
	May only be assemble/disass hazardous areas!	emble outside
Order no.	with 28 numeric keys	05-0080-0438
	with 43 numeric keys, (F) function keys	05-0080-0440
	with 53 alphanumeric keys	05-0080-0441
	with 53 alphanumeric keys for VT emulation*	05-0080-0442
	*	

^{*} Emulation software is not pre-installed on the devices



Screen protector

Screen protector	
Description	- certified in combination with MC 92N0ex-IS
	- 5 pieces
	May only be assemble/disassemble outside hazardous areas!
Order no.	17-A1Z0-0004




Stylus

Description	- 3 pieces
	- Color: grey
	with rubber loop
Order no.	03-9849-0039




Stylus

Description	- 3 pieces - Color: grey
Order no.	03-9849-0043



Stylus

Description	- 10 pieces
	- Color: yellow
Order no.	03-9849-0070



Rubber loop

Description	- 3 pieces
Order no.	03-9849-0047



Shoulder strap

Description	 suitable for leather holster
	 ergonomic and soft shoulder pad
	 adjustable strap length
Order no.	03-9829-0091



Leather holster

Description	- certified in combination with MC 92NOex-IS
	 with belt clip/rotating part
	May only be assemble/disassemble outside hazardous areas!
Order no.	03-9809-0026



Wrist strap

Description	- for MC 92NO ^{ex} -G
	- 3 pieces
	- Color: black
	May only be assemble/disassemble outside hazardous areas!
Order no.	03-9849-0068



Hand strap

Description	- for MC 92NO ^{ex} -K
	- 3 pieces
	- Color: black
	May only be assemble/disassemble outside hazardous areas!
Order no.	03-9849-0067



Holder for hand strap

Description	for MC 92NO^{ex}-K
	- 1 piece
	- Color: black
	May only be assemble/disassemble outside hazardous areas!
Order no.	03-9849-0056

Accessories for use outside hazardous areas



Docking Station				
Description	- Charging the Mobile Computer MC 92NO ^{ex} -IS			
	 Charging an additional battery 			
	 Communication with PC 			
	- Data synchronization via RS232 or USB			
	- Installing software			
Scope of delivery	Docking Station			
Also required	(not included with delivery)			
	- RS232 or USB connecting cable			
	- Power supply (03-9911-0042)			
	 DC connecting cable (03-9919-0028) 			
	- AC power cable			
Order no.	03-9915-0003			



4-slot Battery charger Description - Charging of maximum 4 batteries - Charge indicator via LED Scope of delivery 4-slot Battery charger Also required (not included with delivery) - Power supply (03-9911-0042) - DC connecting cable (03-9919-0030) - AC power cable Order no. 03-9849-0062



RS232 connecting cable

Description	- Connection between Docking Station and PC		
Order no.	03-9919-0004		

USB connecting cable

Description	 Connection between Docking Station and PC 		
Order no.	03-9919-0008		



Power	su	opl	y
Descript	ion		

-	for	Do	cki	ng	Station
	_				

– for 4-slot Battery charger

Input voltage: AC 100 to 240 VOutput voltage: DC 12 V/4,16 A

Also required (not included with delivery)

- DC connecting cable for Docking Station (03-9919-0028) for 4-slot Battery charger (03-9919-0030)

- AC power cable

Order no. 03-9911-0042



DC connecting cable

Description	– for Docking Station			
	– for 4-slot Battery charger			
Also required	(not included with delivery)			
	- Power supply			
	 AC power cable 			
Order no.	for Docking Station	03-9919-0028		
	for 4-slot Battery charger	03-9919-0030		



AC power cable

Description	- 3-wire	
	country-specific	
Order no.	Version: US	03-9609-0021
	Version: EU	03-9609-0011
	Please purchase the requables in the respective	J 1